



SAFETY DATA SHEET

1. Product Identification

Champion Brands, LLC
 1001 Golden Drive
 Clinton, MO 64093
 (660) 885-8151

Product line: Champion® SuperGrade Soluble Cutting Oil with Biocide
Products: 4197
CAS: Not applicable (Mixture)
Synonyms: Metalworking coolant
Recommended use: Metal removal
Restrictions: None determined
Created: 11 November 2015
Revised: 11 November 2015
Emergency phone: CHEMTREC: (+1) 800-424-9300

2. Hazards Identification

Appearance: Brown, clear liquid
Odor: Slight sulfurous to pine-like
Classification: Acute Toxicity (Oral), Category 4
 Skin Corrosion/Irritation, Category 2
 Serious Eye Damage/Eye Irritation, Category 2
 Specific Target Organ Toxicity (Single Exposure), Category 1
Target organs: **LUNGS**



Symbol(s):
Signal Word: **DANGER!**
Hazard Statement(s): Harmful if swallowed. Causes mild skin irritation. Causes serious eye damage. Causes damage to lungs.
Other hazard(s): Product will burn, though difficult to ignite. Mists of sprays of this product may be harmful if inhaled. Prolonged or repeated exposure may cause eye or skin irritation.
Precaution(s): IF ON SKIN: Gently wash with soap and water. Avoid breathing vapors/mist/spray. IF SWALLOWED: Do NOT induce vomiting. Get immediate medical attention. IF

INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Get medical attention immediately. Avoid release to the environment.

Disposal: Keep out of waterways. Check local, national, and international regulations for proper disposal

3. Composition/Information on Ingredients

Hazardous Ingredients:

<i>Component</i>	<i>CAS No.</i>	<i>Conc (wt%)</i>
Highly refined lubricating oils	Mixture	70 - 80
Sulfonic Acids, petroleum, sodium salts	68608-24-4	15 – 18
4-Chloro-3-methylphenol	59-50-7	1 – 2
Triethanolamine	102-71-6	< 1
Phosphoric acids, polymers with isopropanolamine, tall oil and triethanolamine	68514-88-5	< 0.1

4. First Aid Measures

Eyes	Flush eyes with running water for at least 15 minutes. Get medical attention immediately
Skin	Thoroughly wash affected area with soap and water. Remove contaminated clothing and launder before reuse. Use a moisturizer or skin balm if excessive drying occurs
Inhalation	Get medical attention immediately. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If unconscious, place in a recovery position and get medical attention immediately. Maintain an open airway – loosen tight clothing such as collars, ties, belts or waistbands. If not breathing, if breathing is irregular or respiratory arrest occurs, provide artificial respiration, or oxygen by a trained professional.
Ingestion	Get medical attention immediately. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do NOT induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a

physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway and loosening tight clothing such as collars, ties, belts or waistbands.

Additional Info Treat symptomatically – no specific treatment

5. Fire Fighting Measures

Flash Point > 93°C / 200°F (based on flammability of components)

Extinguishing Media Use water spray, fog, foam, dry chemical or CO₂

Unsuitable Media Water jet may cause fire to spread

Firefighting Procedures: Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear

Unusual Hazards See section 10 for additional information

6. Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures: Keep unnecessary personnel away. Wear appropriate personal protective equipment for emergency. Ventilate if released in a confined area. Eliminate sources of ignition if it is safe to do so. Wear suitable personal protective equipment and stop the spread of material with adsorbent or socks if safe to do so.

Environmental precautions: Avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways or groundwater. Produces oil sheen on waterways. Toxic to aquatic organisms

Methods for removal: Use a pump or bucket to recover free liquid. Residual liquid can be absorbed on inert material. Use non-sparking tools.

7. Handling and Storage

Max. Handling Temp: 70°C / 158°F

Procedures: Open container in a cool, well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Use appropriate containment to avoid environmental contamination. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain

concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors, or spray. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of the product. Dispose of packaging or containers in accordance with local, regional, national, and international regulations. Store away from strong oxidizers

Max Store Temp: 50°C / 122°F

8. Exposure Controls/Personal Protection

Exposure Limits

Guidelines by component

Mineral Oil (mists)

OSHA TWA:	5 mg/m ³
ACGIH TWA:	5 mg/m ³
TWA (Canada)	5 mg/m ³
STEL (Canada)	10 mg/m ³
EH40-MEL	5 mg/m ³ , 8 hours
NOHSC	5 mg/m ³ , 8 hours

Triethanolamine

OSHA TWA:	5mg/m ³
ACGIH TWA:	5mg/m ³

Other Exposure Limits: None known

Engineering Controls: Use in a well ventilated area. Where possible, cover sources of oil sprays and mists with adsorbent cloth to minimize exposure to mineral oil mists. Keep concentrations of mist below exposure limits

Personal Protective Equipment

Respiratory: Where mineral oil mists are generated – use full face respirator with organic vapor cartridge.

Eye: Wear safety glasses where splashing or splattering may occur

Gloves: Use nitrile or neoprene gloves. If material is hot, use appropriately insulated gloves.

Clothing: Use neoprene or nitrile gloves. When handling at elevated temperatures, use insulated apron or coat. Launder contaminated clothing before reuse

Hygiene: Wash thoroughly after handling this product.

9. Physical and Chemical Properties

Appearance	Brown, clear liquid
Odor	Slight sulfurous to pine-like
Odor threshold	Not determined
pH	~9.0 (5%v aqueous dilution)
Melting Point	Not determined
Initial Boiling Pt/Rng	Not determined
Flash Point	> 93°C / 200°F (estimated based on components)
Evaporation Rate	Not determined
Upper Flammable Lm	Not determined
Lower Flammable Lm	Not determined
Explosive Data	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Volatile Organics	Not determined
Density	0.93 mg/cu. cm @15.6°C
Solubility	Forms stable emulsion with water
K_{ow}	Not determined
Viscosity	~15 mm ² /s @ 40°C
Autoignition Point	Not determined
Decomposition Temp	Not determined

10. Stability and Reactivity

Stability	Material is normally stable at normal temperatures and pressures
Decomposition Temp	Not determined
Incompatibility	Oxidizers and reducers
Polymerization	Will not occur
Thermal Decomposition	Forms hydrogen chloride and phosgene gasses when burned or heated to thermal decomposition. Smoke, oxides of carbon, nitrogen and sulfur
Conditions to Avoid	Keep away from heat, flames, strong oxidizers and strong reducing agents

11. Toxicological Information**- Acute Exposure –**

- Eye Irritation** Expected to be a potent eye irritant due to component 4-chloro-3-methylphenol.
- Skin Irritation** Expected to cause skin irritation. Prolonged or repeated exposure may cause irritation, or dryness/cracking of the skin.
- Respiratory Irritation** Mists of mineral oils may contain 4-chloro-3-methylphenol and is toxic to the lungs. Coolant solutions prepared with this product may provide growth medium for bacteria and fungi. Mists of finished coolant should be treated as potentially infectious.
- Dermal Toxicity** An ingredient in this product, 4-chloro-3-methylphenol is toxic and can be absorbed through the skin
- Inhalation Toxicity** This product is expected to be acutely toxic by inhalation due to ingredient 4-chloro-3-methylphenol. Exposure to mineral oil mists may be harmful. Symptoms of over-exposure to mineral oil mists may be similar to that of pneumonia. Finished coolant solutions may harbor bacteria and fungi
- Oral Toxicity** Product is toxic by ingestion. Product may also produce serious irritation, coughing, burning, ulceration and pain if ingested. Symptoms may also include abdominal pain, nausea, vomiting and diarrhea. May cause nervous system effects, including dizziness, incoordination, headache, numbness and/or confusion.
- Aspiration Hazard** This product may be fatal if swallowed and enters airways, particularly in those with weakened respiratory systems.

- Chronic Exposure –

- Chronic Toxicity** No data available to indicate product or components present at greater than 0.2% are chronic health hazards
- Carcinogenicity** This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
- Mutagenicity** No data available to indicate product or any components at greater than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity No data available to indicate product or any components at greater than 0.1% may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components at greater than 0.1% may cause teratogenic effects.

- Additional Information –

Other No other health hazards known

12. Ecological Information

- Environmental Toxicity –

Miscellaneous No LD/LC/EC50 data was collected for this product. Classification is based on classification of components and summation formula. Expected to be very toxic to aquatic organisms with chronic, long-lasting effects.

- Environmental Fate –

Biodegradation The petroleum oil in this product is not readily biodegradable, but can be broken down by microorganisms and is therefore considered to be inherently biodegradable. Some components of this product may persist in the environment

Bioaccumulation The petroleum oil in this product has a K_{ow} greater than 5.3 and is regarded as having the potential to bioaccumulate. In practice, metabolic processes may reduce this potential.

Soil Mobility This product is expected to have average soil mobility due to dispersant concentration. Dispersions of this material are expected to weakly adhere to soil, and to leech into run-off water at a rate dependent on temperature and flow rate.

Other Effects Product contains olefins which may pose threat to aquatic life

13. Disposal Considerations

Disposal Considerations

All disposal practices must be in accordance with local, regional, national, and international regulations. Do not dispose in a landfill. Wherever possible, recycle product to used oil collection facilities in accordance with applicable regulations.

Contaminated Containers or Packaging

Dispose of packaging or containers in accordance with local, regional, national, and international regulations

14. Transportation Information

Description shown may not apply to all shipping situations. Consult applicable shipping codes to determine any additional shipping requirements

US DOT Not Regulated

*If shipped by land in a packaging having a capacity of 3,500 gallons or more, the provisions of 49 CFR, Part 130 apply. (Contains oil)

UN No Not applicable
UN Proper Name Not applicable
UN Class Not applicable
Packing Group Not applicable
Marine Pollutant *No

*Product contains petroleum oil – please review MARPOL Annex I before shipping this product navigable water.

IMDG Not Regulated

*U.S. DOT compliance requirements may apply. See 49 CFR 171.22, 23 & 25. If transported in bulk by marine vessel in international waters, product is being carried under the scope of MARPOL Annex I.

ICAO/IATA Not Regulated

*U.S. DOT compliance requirements may apply. See 49 CFR 171.22, 23, & 24.

15. Regulatory Information

USA - **Global Chemical Inventories –**
 All components of this material are on the US TSCA or are exempt

Other TSCA Reg. None known

EU Components of this product comply with EU 7th Amendment and are approved for EU sales. Records must be maintained and reported to EU only registrants if product is imported to the EU. Third party importers are asked to report every EU import to Champion Brands, LLC.

New Zealand All components are listed or exempted

Canada All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List

- **Other U.S. Federal Regulations –**

SARA Ext. Haz. Subst. This product does not contain greater than 1.0% of any chemical on the SARA Extremely Hazardous Substances list.

SARA Sect. 311/312

<i>Acute Hazard</i>	- YES
<i>Chronic Hazard</i>	- YES
<i>Fire Hazard</i>	- NO
<i>Reactivity Hazard</i>	- NO

CERCLA This product contains Triethanolamine (CAS#102-71-6) and 4-Chloro-3-methylphenol (CAS#59-50-7)

- State Regulations –**CA Prop 65**

This product does not contain ingredients known to the State of California to cause cancer, reproductive toxicity or birth defects

<i>Right to Know Component</i>	<i>Right to Know States</i>
Triethanolamine (CAS# 102-71-6)	FL, MA, MN, PA, RI
4-Chloro-3-methylphenol (CAS# 59-50-7)	MA, NJ, PA

- Other –**16. Other Information**

Revision updates may be in many sections and the MSDS should be read in its entirety.
Prepared according to the UN Globally Harmonized System for the Classification and Labeling of Chemicals (GHS) by Champion LLC, 1001 Golden Drive, Clinton, Missouri 64735.

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate to the best knowledge of Champion Brands, L.L.C. Champion Brands, L.L.C., makes no warranty whatsoever expressed or implied of merchantability or fitness for the particular purpose, regarding the accuracy of such data or the results to be obtained from the use thereof. Champion Brands, L.L.C., assumes no legal responsibility for use or reliance upon this data. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.