

SAFETY DATA SHEET

1. Product Identification

Champion Brands, LLC 1001 Golden Drive Clinton, MO 64093 (660) 885-8151

Product line:
Products:
CAS:
Synonyms:
Recommended use:
Restrictions:
Created:
Revised:
Emergency phone:

CHAMPION ® White Oil 4243 Not applicable (Mixture) Non-Detergent Oil Industrial Oil None determined 27 June 2012 9 January 2017 CHEMTREC: (+1) 800-424-9300

2. Hazards Identification

Appearance: Odor: Classification: Target organs: Symbol(s): Signal Word: Hazard Statement(s):	Light Amber Liquid Petroleum Not Hazardous
Other hazard(s):	Product will burn, though difficult to ignite. This product produces oil sheen on bodies of water. Mists of sprays of this product may be harmful if inhaled. Prolonged or repeated exposure may cause eye or skin irritation.
Precaution(s):	Avoid breathing vapors/mist/spray. Wear protective gloves/protective clothing/eye protection. Avoid release to the environment.
Disposal:	Keep out of waterways. Check local, national, and international regulations for proper disposal

3. Composition/Information on Ingredients

Hazardous Ingredients:

Component	CAS No.	Conc (wt%)
Mineral Oil	Mixture	98 – 100

A First Aid Massuras				
4. First Aid Measures				
Eyes	Flush eyes with running water for at least 15 minutes. Get medical attention if irritation persists			
Skin	Flush exposed area with running water for at least 15 minutes. Remove contaminated clothing and launder before reuse. Get medical attention if irritation persists or if signs of an allergic reaction appear.			
Inhalation	Move to fresh air. If nausea or other symptoms persist, get medical attention. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and get medical attention immediately.			
Ingestion	DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, lower head below hips to reduce risk of aspiration.			
Additional Info	Note to physician: Treat symptomatically.			
5. Fire Fighting Measures				
Flash Point	> 93°C / 199°F (based on flammability of components)			
Extinguishing Media	Use water spray, fog, foam, dry chemical or CO_2			
Unsuitable Media	Water jet may cause fire to spread			

- **Firefighting Procedures:** Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear
- **Unusual Hazards** See section 10 for additional information

6. Accidental Release Measures

Personal precautions,	s, protective equipment, and emergency procedures: Keep unnecessary personnel away. Wear appropriate personal protective equipment for emergency. Ventilate if released in a confined area. Eliminate sources of ignition if it is safe to do so. Wear suitable personal protective equipment and stop the spread of material will adsorbent or socks if safe to do so.				
Environmental precau	tions: Avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways or groundwater. Produces oil sheen on waterways. Toxic to aquatic organisms				
Methods for removal:	Use a pump or bucket to recover free liquid. Residual liquid can be absorbed on inert material. Use non-sparking tools.				
7. Handling and Stor	age				
Max. Handling Temp: Procedures:	70°C / 158°F Open container in a cool, well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Use appropriate containment to avoid environmental contamination. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors, or spray. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of the product. Dispose of packaging or containers in accordance with local, regional, national, and international regulations. Store away from strong oxidizers				
Max Store Temp:	40°C / 104°F				

8. Exposure Controls/Personal Protection

Exposure Limits Guidelines by component

Mineral Oil (mists) OSHA TWA: 5 mg/m3 ACGIH TWA: 5 mg/m3 TWA (Canada) 5 mg/m3 STEL (Canada) 10 mg/m3 EH40-MEL 5 mg/m3, 8 hours NOHSC 5 mg/m3, 8 hours

Other Exposure Limits: None known

Engineering Controls: Use in a well ventilated area. Where possible, cover sources of oil sprays and mists with adsorbent cloth to minimize exposure to mineral oil mists. Keep concentrations of mist below exposure limits

Personal Protective Equipment

Respiratory:	Where mineral oil mists are generated – use full face respirator with organic vapor cartridge.
Eye:	Wear safety glasses where splashing or splattering may occur
Gloves:	Use nitrile or neoprene gloves. If material is hot, use appropriately insulated gloves.
Clothing:	Use neoprene or nitrile gloves. When handling at elevated temperatures, use insulated apron or coat. Launder contaminated clothing before reuse
Hygiene:	Wash thoroughly after handling this product.

9. Physical and Chemical Properties

Appearance	Light amber liquid
Odor	Petroleum
Odor threshold	Not determined
рН	Not determined
Melting Point	Not determined
Initial Boiling Pt/Rng	Not determined

Flash Point Evaporation Rate	> 93°C / 199°F (estimated based on components) Nil (where nBuAc = 1)
Upper Flammable Lm	
Lower Flammable Lm	Not determined
Explosive Data	Not determined
Vapor Pressure	0.013 torr @ 25°C / 68°F
Vapor Density	Not determined
Volatile Organics	Not determined
Density	0.9 mg/cu. cm @15.6°C
Solubility	Insoluble in water, alcohols; soluble in organics
K _{ow}	Not determined
Viscosity	~20 mm2/s @ 40°C
Autoignition Point	Not determined
Decomposition Temp	Not determined

10. Stability and Reactivity

Stability	Material is normally stable at normal temperatures and			
	pressures			
Decomposition Temp	Not determined			
Incompatibility	Oxidizers and reducers			
Polymerization	Will not occur			
Thermal Decomposition Smoke, oxides of carbon, sulfur and nitrogen				
Conditions to Avoid	Keep away from heat, flames, strong oxidizers and strong reducing agents			

11. Toxicological Information

- Acute Exposure –

Eye Irritation	Not expected to cause eye irritation by acute exposure. Prolonged or repeated exposure may cause irritation		
Skin Irritation	Not expected to cause skin irritation by acute exposure. Prolonged or repeated exposure may cause irritation, or dryness/cracking of the skin.		
Respiratory Irritation	Mists of mineral oils, if inhaled, may be irritating. Acute exposure above the permissible		
Dermal Toxicity	Not expected to be toxic to the skin.		
Inhalation Toxicity	Inhalation of this product is not expected to be toxic. Exposure to mineral oil mists may be harmful. Symptoms of over-exposure to mineral oil mists may be similar to that of pneumonia.		

Oral Toxicity	Not expected to be harmful. LD50 in rats exceeds 5g/Kg.					
Aspiration Hazard	This product does not present a classifiable hazard of aspiration due to viscosity – however, this product may be fatal if swallowed and enters airways, particularly in those with weakened respiratory systems.					
	- Chronic Exposure –					
Chronic Toxicity	No data available to indicate product or components present at greater than 0.2% are chronic health hazards					
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.					
Mutagenicity	No data available to indicate product or any components at greater than 0.1% are mutagenic or genotoxic.					
Reproductive Toxicity	No data available to indicate product or any components at					
Teratogenicity	greater than 0.1% may cause reproductive toxicity. No data available to indicate product or any components at greater than 0.1% may cause teratogenic effects.					
	- Additional Information –					
Other	No other health hazards known					
12. Ecological Informa	ation					
12. Ecological Informa Miscellaneous	- Environmental Toxicity – No LD/LC/EC50 data was collected for this product. Classification is based on classification of components and summation formula. Expected to be very toxic to aquatic organisms with chronic, long-lasting effects.					
Miscellaneous	 Environmental Toxicity – No LD/LC/EC50 data was collected for this product. Classification is based on classification of components and summation formula. Expected to be very toxic to aquatic organisms with chronic, long-lasting effects. Environmental Fate – 					
	 Environmental Toxicity – No LD/LC/EC50 data was collected for this product. Classification is based on classification of components and summation formula. Expected to be very toxic to aquatic organisms with chronic, long-lasting effects. Environmental Fate – The petroleum oil in this product is not readily biodegradable, but can be broken down by microorganisms and is therefore considered to be inherently biodegradable. Some 					
Miscellaneous	 Environmental Toxicity – No LD/LC/EC50 data was collected for this product. Classification is based on classification of components and summation formula. Expected to be very toxic to aquatic organisms with chronic, long-lasting effects. Environmental Fate – The petroleum oil in this product is not readily biodegradable, but can be broken down by microorganisms and is therefore considered to be inherently biodegradable. Some components of this product may persist in the environment The petroleum oil in this product has a K_{ow} greater than 5.3 and is regarded as having the potential to bioaccumulate. In 					
Miscellaneous Biodegradation	 Environmental Toxicity – No LD/LC/EC50 data was collected for this product. Classification is based on classification of components and summation formula. Expected to be very toxic to aquatic organisms with chronic, long-lasting effects. Environmental Fate – The petroleum oil in this product is not readily biodegradable, but can be broken down by microorganisms and is therefore considered to be inherently biodegradable. Some components of this product may persist in the environment The petroleum oil in this product has a K_{ow} greater than 5.3 					

as a function of viscosity and velocities of water and surface wind.

13. Disposal Considerations

Disposal Considerations

All disposal practices must be in accordance with local, regional, national, and international regulations. Do not dispose in a landfill. Wherever possible, recycle product to used oil collection facilities in accordance with applicable regulations.

Contaminated Containers or Packaging

Dispose of packaging or containers in accordance with local, regional, national, and international regulations

14. Transportation Information

Description shown may not apply to all shipping situations. Consult applicable shipping codes to determine any additional shipping requirements

US	DOT		Not Regulated

*If shipped by land in a packaging having a capacity of 3,500 gallons or more, the provisions of 49 CFR, Part 130 apply. (Contains oil)

UN No	Not applicable
UN Proper Name	Not applicable
UN Class	Not applicable
Packing Group	Not applicable
Marine Pollutant	*No

*Product contains petroleum oil – please review MARPOL Annex I before shipping this product navigable water.

IMDG Not Regulated

*U.S. DOT compliance requirements may apply. See 49 CFR 171.22, 23 & 25. If transported in bulk by marine vessel in international waters, product is being carried under the scope of MARPOL Annex I.

ICAO/IATA Not Regulated

*U.S. DOT compliance requirements may apply. See 49 CFR 171.22, 23, & 24.

15. Regulatory Information		
	- Global Chemical Inventories –	
USA	All components of this material are on the US TSCA or are exempt	
Other TSCA Reg.	None known	
EU	Components of this product comply with EU 7 th Amendment and are approved for EU sales. Records must be maintained and reported to EU only registrants if product is imported to	

New Zealand Canada	the EU. Third party importers are asked to report every EU import to Champion Brands, LLC. All components are listed or exempted All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List	
- Other U.S. Federal Regulations –		
SARA Ext. Haz. Subst.	This product does not contain greater than 1.0% of any	
	chemical on the SARA Extremely Hazardous Substances list.	
SARA Sect. 311/312	Acute Hazard - NO	
	Chronic Hazard - NO	
	Fire Hazard - NO	
	Reactivity Hazard - NO	
CERCLA	None	
CA Prop 65	- State Regulations – This product does not contain ingredients known to the State of California to cause cancer, reproductive toxicity or birth defects	

- Other –

16. Other Information

Revision updates may be in many sections and the MSDS should be read in its entirety. Prepared according to the UN Globally Harmonized System for the Classification and Labeling of Chemicals (GHS) by Champion LLC, 1001 Golden Drive, Clinton, Missouri 64735.

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate to the best knowledge of Champion Brands, L.L.C. Champion Brands, L.L.C., makes no warranty whatsoever expressed or implied of merchantability or fitness for the particular purpose, regarding the accuracy of such data or the results to be obtained from the use thereof. Champion Brands, L.L.C., assumes no legal responsibility for use or reliance upon this data. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.